

No. E1-221-2/2024

Herewith it is confirmed that in the first half of 2024, performed on October 29, 2024, a regular supervision of the product

Birch plywood EN 636-2

plywood, birch, phenolic-formaldehyde (PF), unfaced thickness range: > 12 mm ≤ 25 mm

manufactured by

A/S Latvijas Finieris mill "Lignums" Finiera iela 6 **1016 Riga** Latvia

was carried out by the approved supervision body (NDS08)

Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI Riedenkamp 3 38108 Braunschweig Germany

according to supervision contract No. 221 dated April 11, 1996.

It was found, that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.

Dipl.-Ing. Harald Schwab Head of Department Quality Assessment Braunschweig, December 18, 2024

WKI is a registered mark of the Fraunhofer-Gesellschaft





Fraunhofer





No. E1-265-2/2024

Herewith it is confirmed that in the second half of 2024, performed on October 29, 2024, a regular supervision of the product

Birch plywood EN 636-2

plywood, birch, lignin-phenolic-formaldehyde (LPF), unfaced thickness range: $> 12 \text{ mm} \le 25 \text{ mm}$

manufactured by

A/S Latvijas Finieris mill "Furniers" Bauskas iela 59 1004 Riga Latvia

was carried out by the approved supervision body (NDS08)

Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI Riedenkamp 3 38108 Braunschweig Germany

according to supervision contract No. 265 dated February 26, 1999.

It was found, that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.

J. Sluab

Dipl.-Ing. Harald Schwab Head of Department Quality Assessment Braunschweig, December 16, 2024



Fraunhofer



Fraunhofer-Gesellschaft zur Förderung der angewandten Forschung e. V., Munich Executive board Prof. Holger Hanselka, President Elisabeth Ewen Dr. Sandra Krey Prof. Axel Müller-Groeling



No. E1-580-2/2024

Herewith it is confirmed that in the second half of 2024, performed on October 29, 2024, a regular supervision of the product

Birch plywood EN 636-1

plywood, birch, melamine-urea-formaldehyde (MUF), unfaced thickness range: > 12 mm ≤ 25 mm

manufactured by

A/S Latvijas Finieris mill "Furniers" Bauskas iela 59 **1004 Riga** Latvia

was carried out by the approved supervision body (NDS08)

Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI Riedenkamp 3 38108 Braunschweig Germany

according to supervision contract No. 580 dated August 20, 2013.

It was found, that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.

Dipl.-Ing. Harald Schwab Head of Department Quality Assessment Braunschweig, December 16, 2024

WKI is a registered mark of the Fraunhofer-Gesellschaft





Fraunhofer





No. E1-501-1/2025

Herewith it is confirmed that in the first half of 2025, performed on March 6, 2025, a regular supervision of the product

Birch plywood EN 636-2

plywood, phenolic-formaldehyde (PF), unfaced thickness range: 12 mm \leq 25 mm

manufactured by

Latvijas Finieris AS subsidiary company RSEZ SIA "VEREMS" Lejas Ancupani LV-4604 Veremu parish Latvia

was carried out by the approved supervision body (NDS08)

Fraunhofer Institute for Wood Research


Wilhelm-Klauditz-Institut WKI Riedenkamp 3 38108 Braunschweig Germany

according to supervision contract no. 501 dated June 12, 2006.

It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.

J. Stust

Dipl.-Ing. Harald Schwab Head of Department Quality Assessment Braunschweig, May 15, 2025



Elisabeth Ewen

Dr. Sandra Krey WKI is a registered mark of the Fraunhofer-Gesellschaft





